

United States Patent and Trademark Office



UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER OF PATENTS AND TRADEMARKS Washington, D.C. 20231 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/888,943	06/25/2001	William A. Mittelstadt	56842USA4A.002	9282
32692	7590 01/24/2003			
3M INNOVATIVE PROPERTIES COMPANY PO BOX 33427 ST. PAUL, MN 55133-3427			EXAMINER	
			PATEL, NIHIR B	
			ART UNIT	PAPER NUMBER
			3743	
			DATE MAIL ED. 01/24/2002	

Please find below and/or attached an Office communication concerning this application or proceeding.

	Application No.	Applicant(s)			
	09/888,943	MITTELSTADT ET AL.			
Office Action Summary	Examiner	Art Unit			
	Nihir Patel	3743			
The MAILING DATE of this communication appears on the cover sheet with the correspondence address Period for Reply					
A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) FROM THE MAILING DATE OF THIS COMMUNICATION. - Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication. - If the period for reply specified above is less than thirty (30) days, a reply within the statutory minimum of thirty (30) days will be considered timely. - If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication. - Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). - Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b). Status					
1) Responsive to communication(s) filed on					
2a)⊠ This action is FINAL . 2b)⊡ T	his action is non-final.				
3) Since this application is in condition for allowance except for formal matters, prosecution as to the merits is					
closed in accordance with the practice under <i>Ex parte Quayle</i> , 1935 C.D. 11, 453 O.G. 213. Disposition of Claims					
4) Claim(s) is/are pending in the application.					
4a) Of the above claim(s) is/are withdrawn from consideration.					
5) Claim(s) is/are allowed.					
6)⊠ Claim(s) <u>1-18</u> is/are rejected.					
7) Claim(s) is/are objected to.					
8) Claim(s) are subject to restriction and/or election requirement.					
Application Papers					
9) The specification is objected to by the Examiner.					
10)☐ The drawing(s) filed on is/are: a)☐ accepted or b)☐ objected to by the Examiner.					
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).					
11) The proposed drawing correction filed on is: a) approved b) disapproved by the Examiner.					
If approved, corrected drawings are required in reply to this Office action. 12) The oath or declaration is objected to by the Examiner.					
Priority under 35 U.S.C. §§ 119 and 120 13) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).					
a) All b) Some * c) None of:					
1. Certified copies of the priority documents have been received.					
2. Certified copies of the priority documents have been received in Application No					
3. Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)). * See the attached detailed Office action for a list of the certified copies not received.					
14) Acknowledgment is made of a claim for domestic priority under 35 U.S.C. § 119(e) (to a provisional application).					
a) The translation of the foreign language provisional application has been received. 15) Acknowledgment is made of a claim for domestic priority under 35 U.S.C. §§ 120 and/or 121.					
Attachment(s)					
1) Notice of References Cited (PTO-892) 2) Notice of Draftsperson's Patent Drawing Review (PTO-948) 3) Information Disclosure Statement(s) (PTO-1449) Paper No(s)	5) No	erview Summary (PTO-413) Paper No(s) tice of Informal Patent Application (PTO-152) er:			

Application/Control Number: 09/888,943

Art Unit: 3743

DETAILED ACTION

Response to Arguments

1. Applicant's arguments filed on November 13, 2002 have been fully considered but they are not persuasive. Regarding all the claims, the applicant has one major argument that Japuntich does not provide at least a portion of the contour shape of the valve flap is at least partially flattened when the valve flap contacts the valve seat. Japuntich does provide at least a portion of the contour shape of the valve flap 24 is at least partially flattend when the valve flap 24 contacts the valve seat 40.

Regarding claim 14 being generic, the examiner agrees and has reinstated and considered claim 14.

Claim Rejections - 35 USC § 102

2. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless -

(b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.

The amended claims 1 and 15 are rejected under 35 U.S.C. 102(b) as being anticipated by Japuntich et al. US Patent No. 5,509,436. Referring to claim 1, Japuntich discloses a unidirectional fluid valve that comprises a valve body including a frame (50), a valve opening (52) through the frame (50), and a valve seat (40) extending from the frame (50) and at least partially surrounding the valve opening; and a valve flap (24) having a first portion attached to the frame and a adjacent second portion free to move from a first position where the second position is in contact with at least a part of the valve seat to a second position where at least part

Application/Control Number: 09/888,943

Art Unit: 3743

of the second portion is spaced from the valve seat, wherein the valve flap has a contour shape and further wherein at least a portion of the contour shape of the valve flap 24 is at least partially flattened when the valve flap 24 contacts the valve seat 40. Refer to figures 3-7 and columns 6, 7, and 8.

Referring to claim 14, Japuntich' invention provides a valve flap that is removably attached to the valve body. Refer to figure 3 and col. 10 lines 35-45.

Referring to claim 15, Japuntich discloses a unidirectional fluid valve that comprises a face mask (10) having at least one opening for receiving a unidirectional valve; and a unidirectional valve that comprises a valve body including a frame (50), a valve opening (52) through the frame (50), and a valve seat (40) extending from the frame and at least partially surrounding the valve opening; and a valve flap (24) having a first portion attached to the frame and an adjacent second portion free to move from a first portion where the second portion is in contact with at least a part of the valve seat to a second position where at least part of the second portion is spaced from the valve seat, wherein the valve flap has a contour shape, and further wherein at least a portion of the contour shape of the valve flap is at least partially flattened when the valve flap 24 contacts the valve seat 40.

Conclusion

3. **THIS ACTION IS MADE FINAL.** Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE

MONTHS from the mailing date of this action. In the event a first reply is filed within TWO

MONTHS of the mailing date of this final action and the advisory action is not mailed until after

Application/Control Number: 09/888,943

Art Unit: 3743

the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the mailing date of this final action.

Any inquiry concerning this communication or earlier communication from the examiner should be directed to Nihir Patel whose telephone number is (703) 306-3463. The examiner can normally be reached on Monday-Friday from 7:30 am to 4:30 pm. If attempts to reach the examiner by telephone are unsuccessful the examiner supervisor Henry Bennett can be reached at (703) 308-0101.

NP January 15, 2003

Henry Bennett
Supervisory Patent Examiner